

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	821	((detect\$4 prevent \$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 20:23
L15	231	((detect\$4 prevent \$4) with (inconsistenc\$4 consisten\$4 integrity) with (chang\$4 modif\$6 modification edit\$4)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 20:23
L16	9	L15 and ((read\$4 access\$4) near2 (log \$4 record\$4 database history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 20:24
L17	34	((detect\$4 prevent \$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4) same (database data \$store repository)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 20:26
L18	56	((detect\$4 prevent\$4 identify\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4) same (database data \$store repository)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 20:30

L19	368	((detect\$4 prevent\$4 identify\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4 correct\$4) same (database data\$store repository)) and (((append\$4 add\$4 additional\$4 generat\$4) with (entity record) with (correct\$4 edit\$4 chang\$4 modif\$4 modification))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 21:01
L20	216	((detect\$4 prevent\$4 identify\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4 correct\$4) same (database data\$store repository)) and (((append\$4 add\$4 additional\$4 generat\$4) with (entity record) with (correct\$4 edit\$4 chang\$4 modif\$4 modification)) same (database))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 21:02
L21	31084	"L2" and (((read\$4 access) near\$4 (history log database)) same (compar\$4 comparison match\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 21:03
L22	176	L20 and (((read\$4 access) near\$4 (history log database)) same (compar\$4 comparison match\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 21:03
L23	101	L22 and (database same (old\$4 former unedited unchanged) same (new changed edited modified corrected))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 21:14

L24	63	((read access) near2 (history log)) same (compar\$4 comparison match \$4) same ((correct\$4 edit\$4 modif\$4 modified chang\$4) near4 (entity record row data))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/23 21:35
L25	12	((US-20020091718-\$ or US-20050033777-\$ or US-20050038823-\$ or US-20040015468-\$). did. or (US-7100195-\$ or US-7222133-\$ or US-5982890-\$ or US-6374264-\$ or US-7016921-\$ or US-5437026-\$ or US-5974425-\$ or US-5751958-\$).did.	US-PGPUB; USPAT	OR	ON	2008/11/23 22:00
L26	6	((access read) near2 (history log)) and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:00
S1	164255	((correction change modification) near4 (trac\$4 manag\$6 monitor\$4 track\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S2	7728	S1 and ((store storing stored record \$4 track\$4) with (read\$4 access\$4 open\$4) with (entity entry row data)) same (database))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S3	269172	((correct\$4 chang\$4 modifi\$6 updat\$4) near4 (trac\$4 manag\$6 monitor\$4 track\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S4	13475	S3 and ((store storing stored record \$4 track\$4) with (read\$4 access\$4 open\$4) with (entity entry row data)) same (database))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50

S5	143	S4 and ((compar\$4 comparison) same (chang\$4 correct\$4 modifi\$6 updat\$4) same (read\$4 access \$4 opening opened) same (log record list) same (inconsisten\$4 consisten\$4 integrit \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S6	3727	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S7	321	S6 and (database near4 (consisten\$4 inconsisten\$4 integrity))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S8	83	S7 and ((chang\$4 updat\$4 modifi\$6 correct\$4) near4 (track\$4 trac\$4 monitor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S9	17	S8 and ((compar\$4 comparison) near4 (log entry record list))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S10	443	(database near4 (consisten\$4 inconsisten\$4 integrity)) and ((read access) near3 (log history)) and ((correct\$4 updat\$4 modifi\$6 chang\$4) near4 (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S11	47	S10 and ((compar\$4 comparison) with (log history entry record) with (inconsisten\$4 consisten\$4 differen \$4 "same" equal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S12	1	(payload near3 database) same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S13	226	(payload near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S14	74	S13 and ((correct\$4 updat\$4 chang\$4 modifi\$6) near4 (manag\$5 monitor\$4 track\$4 trac\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50

S15	42	S14 and analy\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S16	101911	(read\$4 access\$4) near4 (log history record)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S17	362086	(read\$4 access\$4) near4 (log\$4 history record\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S18	87534	S17 and ((updat\$4 correction\$4 chang \$4 modifi\$6) near4 (log\$4 record\$4 history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S19	7125	S18 and ((compar\$4 comparison) near4 (log record history entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S20	49	S19 and (((read\$4 access\$4) near3 (log history record)) same ((indicat\$4 identif\$4 designat\$4 distinguish\$4) near4 (leading independent primary dependent parent child secondary)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S21	5	S20 and (((compar \$4 comparison) near4 (log record history entry)) with (inconsisten\$4 consisten\$4 differen \$4 integrit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S22	388	S18 and (((compar \$4 comparison) near4 (log record history entry)) same ((determin\$4 indicat \$4 identif\$5) with (inconsisten\$4 consisten\$4 differen \$4 corrupt\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50
S23	3	S22 and ((corrupt\$4 inconsisten\$4 consisten\$4 incorrect \$4) with (dependent secondary child) with (entity record item entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:50

S24	768	((track\$4 stor\$4 monitor\$4 log\$4) with (read\$4 access \$4) with (history log)) and ((change correction updat\$4 modif\$6) with (log history)) and ((compare comparison compar \$4) with (read\$4 access\$4) with (change correction updat\$4 modif\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 20:46
S25	116	S24 and ((filter\$4 rule\$4 constraint\$4) with (correction change modif\$6 updat\$4) with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 20:47
S26	254	database same (dependen\$4 with (integrity consistency corruption inconsistenc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 20:57
S27	17	S26 and (compar\$4 with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 20:57
S28	1266	database and (dependen\$4 with (integrity consistency corruption inconsistenc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 21:00
S29	44	S28 and (compar\$4 with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 21:00
S30	1499	database and ((chang \$4 correct\$4 updat \$4 modif\$6 edit\$4) near4 (track\$4 log\$4 history)) and ((dependen\$4 relat \$4 associat\$4) with (data record object entity) with (integrity consistency corruption inconsistenc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 21:02
S31	103	S30 and (compar\$4 with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 21:02

S32	2	((((read access) near2 (log history)) with (compar\$4 comparison check\$4) with ((change edit\$4 modif\$4 correct\$4) near3 (log history))) same (inconsistenc \$4 consisten\$4 integrity corrupt\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/16 15:26
S33	15	((((read access) near2 (log history)) with (compar\$4 comparison check\$4) with ((change edit\$4 modif\$4 correct\$4) near3 (log history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/16 15:27
S34	598	(database with (correct\$4 updat\$4 edit\$4 modif\$4)) same ((check\$4 identify\$4 determin \$4) with (inconsistenc \$4 consistenc\$4 corrupt\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/10 16:54
S35	4	S34 and (((read access) near2 (history log)) same ((change edit correction) near3 (history log)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/10 16:55
S36	35	(database same inconsisten\$4) and (((read access) near2 (history log)) same ((change edit correction) near3 (history log)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/10 16:56
S37	74487	((read\$4 access\$4 view\$4) near2 (history log\$4 record \$4)) and ((correct\$4 edit\$4 updat\$4 modif \$6 chang\$4) near3 (history log\$4 record \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/19 21:10
S38	10193	S37 and ((history log record) with (compar \$4 comparis\$4 consistent\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/19 21:11
S39	78	S38 and (((determin \$4 calculat\$4) near4 (baseline original standard)) and ((baseline original standard) near4 (consistent\$4 inconsistent\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/19 21:15

11/23/2008 10:41:29 PM

C:\Documents and Settings\mie4\My Documents\EAST\Workspaces\10824437-CORRECTIONSERVER.wsp